

Joe and Yvonne Dorais
TEMPORARY CHANGE
Claim No. 00992, Subbasin No. 24
March 25, 1999
Page 2

during the pendency of the adjudication temporary changes may be issued if all the requirements of Chapter 90.03 Revised Code of Washington (RCW), and Chapter 173-152 Washington Administrative Code (WAC) can be satisfied.

In accordance with the provisions of Section 90.03.250 RCW, you may consider this letter to be a **TEMPORARY CHANGE** which is subject to the following limitations and provisions:

1. The priority date of this **TEMPORARY CHANGE** is June 1, 1892.
2. The proposed point of withdrawal is located approximately 900 feet east and 100 feet south of the northwest corner of Section 34, being within the NW $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 34, T. 13 N., R. 19 E.W.M. in Yakima County, Washington.
3. The water is to be used for irrigation of 18.3 acres located within the NW $\frac{1}{4}$ NW $\frac{1}{4}$ of Section 34, lying west of the Moxee Slough, T. 13 N., R. 19 E.W.M., Yakima County between April 1 and October 15, 1999.
4. The quantity of water to be withdrawn is limited to a maximum instantaneous rate of 180 gallons per minute, 64 acre-feet per year.
5. This **TEMPORARY CHANGE** shall remain in effect until a Conditional Final Order is signed in Subbasin No. 24.
6. This authorization shall in no way excuse the permittee from compliance with any applicable federal, state, or local statutes, ordinances, or regulations including those administered by other programs of the Department of Ecology.
7. The well shall be limited to a maximum depth of 200 feet below ground surface. If adequate water is not encountered, you must contact Ecology and obtain written authorization to drill deeper.
8. All water wells constructed within the state shall meet the minimum standards for construction and maintenance as provided under RCW 18.104 (Washington Water Well Construction Act of 1971) and Chapter 173-160 WAC (Minimum Standards for Construction and Maintenance of Water Wells).
9. Installation and maintenance of an access port as described in Ground Water Bulletin No. 1 is required. An air line and gage may be installed in addition to the access port.

UFO SB 24
Signed
March 24, 2000

Joe and Yvonne Dorais
TEMPORARY CHANGE
Claim No. 00992, Subbasin No. 24
March 25, 1999
Page 3

10. A suitable measuring device approved by the Department of Ecology shall be installed and maintained in accordance with WAC 508-64-020 through WAC 508-64-040. (Installation, operation and maintenance requirements attached hereto.)
11. Weekly readings shall document the water use. The use data shall be submitted at the end of each season. This reporting schedule does not preclude the Department from requiring higher frequency of reporting during some years.
12. This Order may be appealed. Your appeal must be filed with the Pollution Control Hearings Board, PO Box 40903, Olympia, WA 98504-0903 within thirty (30) days from the date this Order was mailed by the Department of Ecology. At the same time a copy of your appeal must be sent to the Department of Ecology, Water Resources Program, c/o Appeal Coordinator, PO Box 47600, Olympia WA 98504-7600. Your appeal alone will not stay the effectiveness of this Order. Stay requests must be submitted in accordance with RCW 43.21B.320. These procedures are consistent with Chapter 43.21B RCW.

Sincerely,



Robert F. Barwin, Section Manager
Water Resources Program

RFB:KB:ska
990325.wr9

Enclosure: Ground Water Bulletin No. 1
Flow Meter Requirements

cc: Carroll Palmer, Yakama Indian Nation
Rachael Paschal, CELP